

NAME: _____ SOLUTION _____

There are 20 questions. The 14 multiple choice are worth 5 points each; the 6 free response are worth 6 points each. For multiple-choice questions, circle your answer. For free-response questions, SHOW ALL WORK to receive full credit.

1. Solve: $\frac{x-4}{3} = \frac{4}{5}$

(a) $x = -\frac{11}{4}$

(b) $x = \frac{16}{5}$

(c) $x = \frac{32}{5}$

(d) $x = 4$

Solution: LCD is 15.

$$\frac{x-4}{3} = \frac{4}{5}$$

Common denominator:

$$\Rightarrow \frac{5(x-4)}{15} = \frac{12}{15}$$

Remove denominators:

$$\Rightarrow 5(x-4) = 12$$

$$\Rightarrow 5x - 20 = 12$$

$$\Rightarrow 5x = 32$$

$$\Rightarrow x = \frac{32}{5}$$

2. Evaluate: $-\frac{35}{6} \div \frac{14}{9}$

(a) $-\frac{15}{4}$

(b) $-\frac{245}{27}$

(c) $-\frac{77}{18}$

(d) $-\frac{13}{54}$

Solution:

$$-\frac{35}{6} \div \frac{14}{9} = -\frac{35}{6} \cdot \frac{9}{14}$$

$$= -\frac{5}{2} \cdot \frac{3}{2}$$

$$= -\frac{15}{4}$$

3. Ten more than twice a number is 46.
What is the number?

(a) 18

(b) 5

(c) 34

(d) 29

Solution:

Let us say that the number we want is called "x".

Then "twice the number" is $2 \cdot x$.

"Ten more than twice the number" is $2 \cdot x + 10$.

Thus, we get the equation:

$$2 \cdot x + 10 = 46$$

$$\Rightarrow 2 \cdot x = 36$$

$$\Rightarrow x = 18$$

Therefore the number is 18

4. Evaluate exactly $-b + \sqrt{b^2 - 4ac}$
when $a = 3$, $b = 5$, $c = (-2)$.

(a) -4

(b) 2

(c) -2

(d) $-5 + \sqrt{30}$

Solution:

$$-5 + \sqrt{5^2 - 4 \cdot 3 \cdot (-2)}$$

$$= -5 + \sqrt{25 - (-24)}$$

$$= -5 + \sqrt{25 + 24}$$

$$= -5 + \sqrt{49}$$

$$= -5 + 7 = 2$$

5. Evaluate: $-8^2 - \frac{3}{7} \cdot 14 =$

(a) -65

(b) 70

(c) 58

(d) -70

Solution:

$$\begin{aligned} -8^2 - \frac{3}{7} \cdot 14 &= -64 - \frac{3}{7} \cdot 14 \\ &= -64 - 6 \\ &= \boxed{-70} \end{aligned}$$

6. Add: $\frac{7}{9} + \frac{5}{12} =$

(a) $\frac{43}{36}$

(b) $\frac{12}{21}$

(c) $\frac{13}{3}$

(d) $\frac{31}{12}$

Solution: LCD is 36.

$$\frac{7}{9} + \frac{5}{12} = \frac{28}{36} + \frac{15}{36} = \boxed{\frac{43}{36}}$$

7. Solve the equation $9x - 5 = 5x + 7$.

(a) $x = \frac{21}{2}$

(b) $x = 4$

(c) $x = 3$

(d) $x = -5$

Solution:

$$\begin{aligned} 9x - 5 &= 5x + 7 \\ \Rightarrow 4x - 5 &= 7 \\ \Rightarrow 4x &= 12 \\ \Rightarrow x &= \frac{12}{4} = \boxed{3} \end{aligned}$$

8. Write the following sentence in symbols:
twice the sum of c and d is 5.

(a) $2 + c + d = 5$

(b) $2(c + d) = 5$

(c) $2d + c = 5$

(d) $2c + d = 5$

Solution:

The sum of c and d : $(c + d)$.
Twice (= two times) the sum of c and d : $2(c + d)$. Therefore, the sentence can be written as $\boxed{2(c + d) = 5}$

9. Find the value of: $2(3^2 \cdot 5 - 4^2)$.

(a) 122

(b) 28

(c) -35

(d) 58

Solution:

$$\begin{aligned} & 2(3^2 \cdot 5 - 4^2) \\ &= 2 \cdot (9 \cdot 5 - 16) \\ &= 2 \cdot (45 - 16) \\ &= 2 \cdot (29) = \boxed{58} \end{aligned}$$

10. Evaluate $\frac{6 - 5xy}{2x + y}$ when $x = 3$ and $y = -4$.

(a) $-\frac{6}{5}$

(b) -33

(c) 33

(d) 30

Solution:

$$\begin{aligned} & \frac{6 - 5 \cdot 3 \cdot (-4)}{2 \cdot 3 + (-4)} = \frac{6 - (-60)}{2} \\ &= \frac{6 + 60}{2} = \frac{66}{2} = \boxed{33} \end{aligned}$$

11. Solve: $3(7x + 1) = 4(5x + 1) + 14$

(a) $x = -13$

(b) $x = 15$

(c) $x = \frac{21}{41}$

(d) $x = \frac{9}{20}$

Solution:

$$\begin{aligned} & 3(7x + 1) = 4(5x + 1) + 14 \\ \Rightarrow & 21x + 3 = 20x + 18 \\ \Rightarrow & x + 3 = 18 \\ \Rightarrow & x = \boxed{15} \end{aligned}$$

12. Evaluate $g(2)$ for the function

$$g(x) = 3x^2 - 4x + 2$$

(a) 6

(b) 2

(c) 30

(d) -4

Solution:

$$\begin{aligned} g(2) &= 3 \cdot 2^2 - 4 \cdot 2 + 2 \\ &= 3 \cdot 2^2 - 4 \cdot 2 + 2 \\ &= 3 \cdot 4 - 4 \cdot 2 + 2 \\ &= 12 - 8 + 2 \\ &= \boxed{6} \end{aligned}$$

13. Evaluate: $\left(-\frac{10}{9}\right)\left(-\frac{6}{25}\right)$

(a) $-\frac{60}{131}$

(b) $-\frac{4}{15}$

(c) $\frac{125}{18}$

(d) $\frac{4}{15}$

Solution:

$$\begin{aligned} &\left(-\frac{10}{9}\right)\left(-\frac{6}{25}\right) \\ &= \left(-\frac{2}{3}\right)\left(-\frac{2}{5}\right) = \boxed{\frac{4}{15}} \end{aligned}$$

14. Solve $\frac{x}{3} + 5 = 7$

(a) $x = \frac{2}{3}$

(b) No solution

(c) $x = 6$

(d) -4

Solution:

$$\begin{aligned} &\frac{x}{3} + 5 = 7 \\ &\Rightarrow \frac{x}{3} = 2 \\ &\text{Times 3 both sides:} \\ &\Rightarrow \boxed{x = 6} \end{aligned}$$

Free response questions start here. SHOW ALL WORK!!!

15. Evaluate: $\frac{4}{5} - \frac{2}{7} \div \frac{5}{14} = \boxed{0}$

Solution:

$$\begin{aligned} &\frac{4}{5} - \frac{2}{7} \div \frac{5}{14} = \frac{4}{5} - \frac{2}{7} \cdot \frac{14}{5} \\ &= \frac{4}{5} - \frac{2}{1} \cdot \frac{2}{5} = \frac{4}{5} - \frac{4}{5} = \boxed{0} \end{aligned}$$

16. Solve the equation: $\frac{2x}{5} + \frac{7}{6} = \frac{x}{3} - 2$

Solution:

The LCD is 30. Write all fractions with denominator 30 (note $2 = \frac{2}{1}$):

$$\begin{aligned} &\frac{2x}{5} + \frac{7}{6} = \frac{x}{3} - \frac{2}{1} \\ &\Rightarrow \frac{12x}{30} + \frac{35}{30} = \frac{10x}{30} - \frac{60}{30} \end{aligned}$$

Remove denominators:

$$\Rightarrow 12x + 35 = 10x - 60$$

Subtract 10 x and 35 from both sides:

$$\Rightarrow 2x = -95$$

$$\Rightarrow x = \boxed{-\frac{95}{2}}$$

17. Evaluate: $\sqrt{36} + (-4)^2 = \boxed{22}$

Solution:

$$\sqrt{36} = 6 \text{ (because } 6^2 = 36\text{).}$$

$$(-4)^2 = (-4) \cdot (-4) = 16.$$

$$\sqrt{36} + (-4)^2 = 6 + 16 = \boxed{22}$$

18. Solve $-5x + 1 = 17 - x$

Solution:

$$\text{If } -5x + 1 = 17 - x,$$

adding x to both sides we get

$$-4x + 1 = 17.$$

Subtract 1 from both sides to get,

$$-4x = 16,$$

and divide both sides by (-4) to get

$$\boxed{x = -4}$$

19. Twice a number minus 7 is equal to the same number plus 3. What is the number?

Solution:

Suppose that the number is ' x '. Then 'twice the number' is $2x$, and 'twice the number minus 7' is $2x - 7$.

On the other hand, 'the number plus 3' is $x + 3$.

Therefore, 'Twice a number minus 7 is equal to the same number plus 3' translates to $2x - 7 = x + 3$.

Solve the equation: $2x - x = 3 + 7 \rightarrow x = 10$.

Therefore, $\boxed{\text{the number is } 10}$

20. Solve $5(x + 2) = 2x - 7$

Solution:

$$\text{If } 5(x + 2) = 2x - 7$$

$$\Rightarrow 5x + 10 = 2x - 7$$

$$\Rightarrow 3x + 10 = -7$$

$$\Rightarrow 3x = -17$$

$$\Rightarrow \boxed{x = -\frac{17}{3}}$$