# MTH 05, Test 2, V. 4, 10/19/17 Luis Fernández

NAME:

## SOLUTION

There are twenty-two questions, each worth 5 points. For multiple-choice questions, circle your answer. For free-response questions, SHOW ALL WORK to receive full credit.

1. Find the *x*-coordinate of the solution of the following system of equations.

$$\begin{cases} 2x + 3y = 2\\ -x - 3y = 2 \end{cases}$$

(a)) 4

- (b) -4
- (c) -2
- (d) 2

2. Which equation's graph is parallel to that of y = -3x - 14?

$$((a)) y = -3x + 8$$

(b) 
$$y = \frac{1}{3}x + 7$$

(c) 
$$y = 3x + 12$$

(d)  $y = -\frac{1}{3}x - 11$ 

- **3.** Find the equation of the vertical line passing through the point (-3, -4).
- ((a)) x = -3
- (b)  $y = \frac{3}{4}x$
- (c) y = -4
- (d)  $y = \frac{4}{3}x$

4. What is the slope of the line in the graph?



**5.** Solve for t in the expression A = rt.

(a) 
$$t = \frac{A}{r}$$

(b) t = Ar

(c) 
$$t = 2$$

(d)  $t = \frac{r}{A}$ 

- **6.** Solve for t in the equation P = 2t + a.
- (a) t = 2
- (b) a = P + 2t

(c) 
$$t = \frac{P-a}{2}$$
  
(d)  $t = 2P - a$ 

- 7. What is the slope-intercept form of the equation 6x + 4y = 12?
- (a) y = -6x + 3
- (b)  $y = -\frac{3}{2}x + 3$
- (c) y = 6x + 12
- (d)  $y = \frac{3}{2}x + 3$

- 8. The volume V of a pyramid is given by the equation  $V = \frac{1}{3}Bh$ . If V = 100 and h = 5, what is the value of B?
- (a) 200
- (b)  $\frac{23}{2}$
- ((c)) 60
- (d) -53

- **9.** Use the formula  $F = \frac{9}{5}C + 32$  to find F when C = -20.
- ((a)) 4
- (b) 21
- (c) 4
- (d) -112

- 10. Find x-intercept and y-intercept for the graph of the equation x + 3y = 6.
- (a) x-intercept: (6,0) and y-intercept: (0,-2)
- (b) x-intercept: (0,0) and y-intercept: (1,4)
- (c) x-intercept: (-6, 0) and y-intercept: (0, 2)
- ((d)) x-intercept: (6,0) and y-intercept: (0,2)

11. Pick the graph of the solution to the inequality 7x - 5 > 6x + 6.



- 12. Find the slope and y-intercept for the graph of the equation 2x 5y = 15.
- (a) Slope  $= -\frac{2}{5}$  and *y*-intercept: (0,3)
- (b) Slope  $=\frac{2}{5}$  and y-intercept: (0,15)
- ((c)) Slope  $=\frac{2}{5}$  and y-intercept: (0, -3)
  - (d) Slope  $= -\frac{2}{5}$  and *y*-intercept: (0, -3)

- **13.** What is the slope of the line connecting the points (4, 13) and (6, 5)?
- (a)  $\frac{1}{4}$ (b) -4
- (c)  $-\frac{1}{4}$
- (d) 4

**14.** Choose the equation of the line in the graph.



\_\_\_\_Free response questions start here. SHOW ALL WORK!!!\_

15. Find an equation for the line passing through the points (3, 8) and (-3, 6).

#### Solution:

The slope of the line is:

$$m = \frac{6-8}{-3-3} = \frac{-2}{-6} = \frac{1}{3}.$$

Since it passes through the point (3, 8), we can use the point-slope form to obtain the equation sought:

$$y - 8 = \frac{1}{3}(x - 3).$$

16. Find the equation of the line passing through the point (3, -4) and perpendicular to the line 2x + 3y = 5.

### Solution:

The slope of the given line is found by solving for y and finding the number that multiplies x:

$$2x + 3y = 5 \rightarrow 3y = -2x + 5 \rightarrow y = -\frac{2}{3}x + \frac{5}{3}.$$
  
Therefore the slope of the given line is  $-\frac{2}{3}$ .

Since the line whose equation we want to find is perpendicular to the given one, its slope has to be the opposite reciprocal of the slope we found above. That is, the slope of the line whose equation we want is

$$m = \frac{3}{2}.$$

Since it passes through (3, -4), we can use the point-slope form to obtain the equation sought:

$$y - (-4) = \frac{3}{2}(x - 3).$$

17. Solve and graph the solution on the number line:  $2 - 4(2x + 5) \ge 5(x + 3) - 2x$ .

#### Solution:

Expand and combine like terms first:  $2 - 4(2x + 5) \ge 5(x + 3) - 2x$   $2 - 8x - 20 \ge 5x + 15 - 2x$   $-8x - 18 \ge 3x + 15$ Subtract 15 from both sides:  $-8x - 33 \ge 3x$ Add 8x to both sides:  $-33 \ge 11x$ Divide by 11:  $-3 \ge x$  (or  $x \le -3$ ).







**Solution:** Two points: (0, -3), (4, 0)

**19.** Graph 3x + 5y = 15 indicating at least two points.



**Solution:** Two points: (0,3), (5,0)

**20.** Graph the solution of the inequality 2x - y < 4.



Solution: The shaded region.

**21.** Graph y = 4 indicating at least two points.

					y	N						
•	•	•	•	•	• 6	• •	•	•	•	•	•	
•	•	•	•	•	• 5	• •	•	•	•	•	•	
_					- 4						_	
		•			• 3							
			•	•	• 2	• •	•	•		•	•	
				•	• 1		•	•	•	•	•	
6	-									E		•
-6	-5	-4	-3	-2	-1	1	2	3	4	5	6	$\mathbf{x}$
-6 •	-5	-4 •	-3 •	-2	-1 • -1	1 • •	2 •	3	4	5	6	x
-6	-5	-4 •	-3 • •	-2 • •	-1 • -1 • -2 • -3	1 • • • •	2 • •	3 • •	4	5 • •	6 • •	x
-6 • •	-5	-4 • •	-3 • •	-2 • •	-1 • -1 • -2 • -3 • -4	1 • • • •	2	3	4	5	6 • •	x
-6 • •	-5	-4 • •	-3 • • •	-2 • •	-1 • -1 • -2 • -3 • -3 • -4 • -5	1 • • • •	2	3 • • •	4	5 • •	6 • •	x

Solution: Two points: (0,4), (1,4)

**22.** Solve the following system of equations. If there is no unique solution, say whether the system has *no solutions* or *infinitely many solutions*.

$$\begin{cases} 3x + 5y = 1\\ 2x + 4y = 2 \end{cases}$$
Solution:

First multiply the first equation by (-2) and the second by 3 to get  $\begin{cases} -6x - 10y = -2\\ 6x + 12y = 6 \end{cases}$ Add the equations to get 2y = 4, which gives y = 2. Now multiply the first equation by (-4) and the second by 5 to get  $\begin{cases} -12x - 20y = -4\\ 10x + 20y = 10 \end{cases}$ Add the equations to get -2x = 6. Divide both sides by (-2) to obtain x = (-3). Therefore the solution is (-3, 2).