

**Mth 30, Homework 12 on sections 7.1, 7.2, 7.5**

Due by Wed, May 6.

---

Please use lots of space and explain your answers, showing clearly any work you had to do. Each question is worth 3 points.

---

**Section 7.1 Trigonometric Identities**

- (1) Fill in the following blanks describing how each step works. For example it could be "by the Pythagorean identity", "adding fractions", "by definition" or "distributing".

$$\begin{aligned}\frac{\cot x + \tan x}{\sec x} &= \frac{\frac{\cos x}{\sin x} + \frac{\sin x}{\cos x}}{\frac{1}{\cos x}} && \underline{\hspace{2cm}} \\ &= \cos x \left( \frac{\cos x}{\sin x} + \frac{\sin x}{\cos x} \right) && \underline{\hspace{2cm}} \\ &= \frac{\cos^2 x + \sin^2 x}{\sin x} && \underline{\hspace{2cm}} \\ &= \frac{1}{\sin x} && \underline{\hspace{2cm}} \\ &= \csc x. && \underline{\hspace{2cm}}\end{aligned}$$

The above steps have verified the identity  $\frac{\cot x + \tan x}{\sec x} = \csc x$ .

- (2) Simplify

$$\frac{3 \sin^2 x + 4 \cos^2 x - 3}{\cos x}$$

to a single trigonometric function. Go step by step as in question 1 and don't forget to write the equality symbol "=" at each step, to show what is equal.

- (3) Verify the identity:

$$\sin(-x) \tan x + \sec(-x) = \cos x$$

(Remember that  $\cos$  and  $\sec$  are even functions and the other trig functions are odd.)

- (4) Verify the identity:

$$\cot^2 \theta - \csc^2 \theta = -1$$

- (5) Verify the identity:

$$2 = \frac{(\cos \theta + 1)^2 + (\sin \theta + 1)^2 - 3}{\cos \theta + \sin \theta}$$

---

## Section 7.2 Sum and Difference Identities

Use these sum identities in these three questions:

$$\cos(\alpha + \beta) = \cos \alpha \cdot \cos \beta - \sin \alpha \cdot \sin \beta$$

$$\sin(\alpha + \beta) = \sin \alpha \cdot \cos \beta + \cos \alpha \cdot \sin \beta$$

(6) Find the exact value of:  $\cos(105^\circ)$

(Hint: Write  $105^\circ$  as a sum of special angles.)

(7) Write  $\sin(x - \pi/4)$  in terms of  $\sin x$  and  $\cos x$ .


(8) Verify the identity:

$$\frac{\sin(x + y)}{\sin x \cdot \sin y} = \cot x + \cot y$$

---

## Section 7.5 Solving Trigonometric Equations

The unit circle, as shown, is helpful for solving trigonometric equations. Also remember the values of  $\cos$  and  $\sin$  at the special angles. All angles are given with radians here.



(9) Find all solutions to:  $\sin t = 1$

(Hint: There are infinitely many – find radian angles that have  $y = 1$  on the unit circle above. The answer is “ $t = ?? + 2\pi k$  for all integers  $k$ ”.)

(10) Solve  $3 \sin t = 1 + \sin t$  exactly for  $t$  in  $[0, 2\pi)$ .

(Hint: There are two solutions. On the unit circle you will be looking for two points with  $y$  coordinate  $1/2$  and see which angles they correspond to.)

(11) Solve  $1 + \cos t = 0$  exactly for  $t$  in  $[0, 6\pi)$ . (Three solutions.)

(12) Solve  $\sin^2 t = 3/4$  exactly for  $t$  in  $[0, 2\pi)$ .

(13) Solve  $2 \cos(2\theta) = 1$  exactly for  $\theta$  in  $[0, 2\pi)$ . (Now four solutions.)

---

If you're stuck on a question:

- Ask me about it after class.
- Come to my office hours: Mon 4:30 - 5:30, Wed 4:30 - 5:30 in CP 317.
- Go to the Math Tutorial Lab in person in CP 303 or online.